

**SAFETY DATA SHEET****Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover**

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover
Product number LP00228US, LP00243US

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Clearing blocked sinks, drains, etc.
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier CBee (Europe) Ltd.
Eton House
2nd Floor
18 - 24 Paradise Road
Richmond
TW9 1SE
UK
Tel: + 44 (0) 208 614 7120
Fax: + 44 (0) 208 940 2040
consumerservices@clorox.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 208 614 7120
Monday - Thursday:- 09:00 - 17:30
Friday:- 09:00 - 17:00

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification****Physical hazards**

Not Classified

Health hazards

Skin Corr. 1A - H314 Eye Dam. 1 - H318

Environmental hazards

Aquatic Acute 1 - H400

Classification (67/548/EEC or 1999/45/EC)

C; R35. N; R50

2.2. Label elements**Pictogram****Signal word****Danger**

Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover

Hazard statements

H314 Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life.

Precautionary statements

P102 Keep out of reach of children.
P264 Wash contaminated skin thoroughly after handling.
P280 Wear protective clothing and gloves.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P501 Dispose of contents/container in accordance with national regulations.

Supplemental label information

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Contains

Sodium hypochlorite, solution 5.8 % Cl active, sodium hydroxide

Detergent labelling

5 - < 15% chlorine-based bleaching agents, < 5% amphoteric surfactants

Supplementary precautionary statements

P260 Do not breathe vapours.
P273 Avoid release to the environment.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P363 Wash contaminated clothing before reuse.
P391 Collect spillage.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Sodium hypochlorite, solution ... % Cl active CAS number: 7681-52-9 EC number: 231-668-3 M factor (Acute) = 10	5.8%
Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	Classification (67/548/EEC or 1999/45/EC) C; R34. N; R50. R31
sodium hydroxide CAS number: 1310-73-2 EC number: 215-185-5	1 - <2.5%
Classification Skin Corr. 1A - H314 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) C; R35

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover

Ingestion

Rinse mouth thoroughly with water. Give plenty of water to drink. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention immediately. Do not induce vomiting unless under the direction of medical personnel.

Eye contact

Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Irritation of nose, throat and airway.

Ingestion

May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

Eye contact

Severe irritation, burning, tearing and blurred vision.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Special protective equipment for firefighters

Use protective equipment appropriate for surrounding materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions

Avoid discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Neutralise spilled material with diluted hydrochloric acid.

6.4. Reference to other sections

Reference to other sections

See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Warning! Do not use together with other products. May release dangerous gases (chlorine). Avoid inhalation of vapours/spray and contact with skin and eyes. Good personal hygiene procedures should be implemented. Observe any occupational exposure limits for the product or ingredients.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store in a cool and well-ventilated place.

Storage class

Corrosive storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

sodium hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m3

WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment



Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Wear tight-fitting, chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

Hygiene measures

Provide eyewash station and safety shower. Do not smoke in work area. Promptly remove any clothing that becomes wet or contaminated. Care should be taken to avoid contact with contaminants when removing contaminated clothing. Wash at the end of each work shift and before eating, smoking and using the toilet.

Environmental exposure controls

Keep container tightly sealed when not in use. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Viscous liquid.

Colour

Colourless to pale yellow.

Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover

Odour

Bleach

Odour threshold

Not determined.

pH

pH (concentrated solution): 13

Melting point

Not relevant.

Initial boiling point and range

Not determined.

Flash point

Not determined.

Evaporation rate

Not determined.

Evaporation factor

Not determined.

Flammability (solid, gas)

Not relevant.

Upper/lower flammability or explosive limits

Not relevant.

Vapour pressure

Not determined.

Vapour density

Not relevant.

Relative density

1.09

Bulk density

Not determined.

Partition coefficient

Not determined.

Auto-ignition temperature

Not relevant.

Decomposition Temperature

Not relevant.

Viscosity

Not determined.

Explosive properties

Not considered to be explosive.

Oxidising properties

The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.

9.2. Other information**Other information**

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover

10.2. Chemical stability

Stability

Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Will not polymerise.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

None at ambient temperatures. Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Based on available data the classification criteria are not met.

Acute toxicity - dermal

Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Based on available data the classification criteria are not met.

Respiratory sensitisation

Based on available data the classification criteria are not met.

Skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro

Based on available data the classification criteria are not met.

Genotoxicity - in vivo

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility

Based on available data the classification criteria are not met.

Reproductive toxicity - development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure

Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure.

Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover

Toxicological information on ingredients.

Sodium hypochlorite, solution ... % Cl active

Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg)

8,830.0

Species

Rat

REACH dossier information. Based on available data the classification criteria are not met.

ATE oral (mg/kg)

8,830.0

Acute toxicity - dermal

Acute toxicity dermal (LD50 mg/kg)

20000.0

Species

Rabbit

REACH dossier information. Based on available data the classification criteria are not met.

ATE dermal (mg/kg)

20000.0

Acute toxicity - inhalation

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data

Dose: 5.3%, 4 hours, Rabbit Primary dermal irritation index: 1.2 Dose: 0.5 ml (12.5%), 24 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive to skin.

Serious eye damage/irritation

Dose: 0.1 g, 1 second, Rabbit REACH dossier information. Corrosivity to eyes is assumed.

Skin sensitisation

Buehler test - Guinea pig: Not sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro

Chromosome aberration: Negative. REACH dossier information.

Genotoxicity - in vivo

Chromosome aberration: Negative. REACH dossier information.

Carcinogenicity

NOAEL > 13.75 mg/kg/day, Oral, Rat REACH dossier information.

IARC carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

Reproductive toxicity - fertility

One-generation study - NOAEL > 5 mg/kg/day, Oral, Rat P REACH dossier information.

Reproductive toxicity - development

Teratogenicity: - NOAEL: >=5.7 mg/kg/day, Oral, Rat REACH dossier information.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure

LOAEL 100 mg/kg/day, Oral, Rat REACH dossier information.

Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover

Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure.

sodium hydroxide

Skin corrosion/irritation

Animal data

Skin Corr. 1A - H314

Serious eye damage/irritation

Dose: 0.1 ml (2%), 1 second, Rabbit REACH dossier information.

Skin sensitisation

Patch test - Human: Not sensitising. REACH dossier information.

Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure.

SECTION 12: Ecological Information

12.1. Toxicity

Aquatic Acute 1 - H400 Very toxic to aquatic life.

Ecological information on ingredients.

Sodium hypochlorite, solution ... % Cl active

Acute aquatic toxicity

LE(C)₅₀

0.01 < L(E)C₅₀ ≤ 0.1

M factor (Acute)

10

Acute toxicity - fish

LC₅₀, 96 hours: 0.032 mg/l, Oncorhynchus kisutch (Coho salmon) REACH dossier information.

Acute toxicity - aquatic invertebrates

EC₅₀, 48 hours: 0.141 mg/l, Daphnia magna REACH dossier information.

Acute toxicity - microorganisms

EC₅₀, 3 hours: > 3 mg/l, Activated sludge REACH dossier information.

Acute toxicity - terrestrial

NOEC, 10 days: 200 mg/l, Coturnix coturnix japonica (Japanese quail) REACH dossier information.

Chronic toxicity - fish early life stage

NOEC, 28 days: 0.04 mg/l, Menidia peninsulae (Tidewater silverside) REACH dossier information.

Chronic toxicity - aquatic invertebrates

NOEC, 15 days: 0.007 mg/l, Freshwater invertebrates REACH dossier information.

sodium hydroxide

Acute toxicity - fish

LC₅₀, 48 hours: 189 mg/l, Leuciscus idus (Golden orfe)

Acute toxicity - aquatic invertebrates

EC₅₀, 48 hours: 40.4 mg/l, Ceriodaphnia REACH dossier information.

12.2. Persistence and degradability

Persistence and degradability

The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover

Ecological information on ingredients.

Sodium hypochlorite, solution ... % Cl active

Phototransformation

Air - DT₅₀ : 114.6 days Estimated value. Water - DT₅₀ : 12 minutes REACH dossier information.

12.3. Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not determined.

Ecological information on ingredients.

Sodium hypochlorite, solution ... % Cl active

Partition coefficient

log Pow: -3.42 Estimated value. REACH dossier information.

sodium hydroxide

The product is not bioaccumulating.

12.4. Mobility in soil

Mobility

The product is soluble in water.

Ecological information on ingredients.

Sodium hypochlorite, solution ... % Cl active

Henry's law constant

0.076 @ 20°C Estimated value. REACH dossier information.

Surface tension

82.4 mN/m @ 20°C REACH dossier information.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Not relevant.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

Dispose of waste product or used containers in accordance with local regulations When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods

Neutralise waste with diluted hydrochloric acid. Avoid the spillage or runoff entering drains, sewers or watercourses.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	3266
UN No. (IMDG)	3266
UN No. (ICAO)	3266
UN No. (ADN)	3266

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYPOCHLORITE, SODIUM HYDROXIDE)
--------------------------------	--

Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover

Proper shipping name (IMDG) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYPOCHLORITE, SODIUM HYDROXIDE)

Proper shipping name (ICAO) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYPOCHLORITE, SODIUM HYDROXIDE)

Proper shipping name (ADN) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYPOCHLORITE, SODIUM HYDROXIDE)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C5

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group I

IMDG packing group I

ICAO packing group I

ADN packing group I

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



Yes.

14.6. Special precautions for user

EmS F-A, S-B

ADR transport category 1

Emergency Action Code 2X

Hazard Identification Number (ADR/RID) 88

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

EH40/2005 Workplace exposure limits.

EU legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling

Pro-Strength Liquid-Plumr® Full Clog Destroyer Clog Remover

and packaging of substances and mixtures (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Classification procedures according to Regulation (EC) 1272/2008

Skin Corr. 1A - H314, Aquatic Acute 1 - H400: Calculation method.

Revision comments

Classification according to CLP Annex I.

Revision date 16/05/2014

Revision 6

Supersedes date 01/04/2012

SDS number 210

Risk phrases in full

R31 Contact with acids liberates toxic gas.

R34 Causes burns.

R35 Causes severe burns.

R50 Very toxic to aquatic organisms.

Hazard statements in full

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

Disclaimer

The information supplied here is accurate to the best knowledge and belief of CBee (Europe) Limited, it is however, not intended as a warranty or representation, and should not be construed as such, for which CBee (Europe) Limited assumes any legal responsibility. Any information or advice obtained from CBee (Europe) Limited other than by means of this publication, and whether relating to CBee (Europe) Limited's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by CBee (Europe) Limited when used instead of, or in conjunction with materials supplied by CBee (Europe) Limited, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. CBee (Europe) Limited accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.