



SAFETY DATA SHEET

1. Identification

| | | |
|---|--|---|
| Product identifier | Disc Brake Quiet | |
| Other means of identification | | |
| Product code | 75016 | |
| Recommended use | Apply to brakes to decrease noise | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplier/Distributor information | | |
| Manufactured or sold by: | | |
| Company name | CRC Canada Co. | |
| Address | 2-1246 Lorimar Dr. Mississauga, Ontario L5S 1R2 Canada | |
| Telephone | 905-670-2291 | |
| Website | www.crc-canada.ca | |
| E-mail | Support.CA@crcindustries.com | |
| Emergency phone number | 24-Hour Emergency (CHEMTREC) | 800-424-9300 (Canada) 703-527-3887 (International) |

2. Hazard(s) identification

| | | |
|------------------------------|--|---|
| Physical hazards | Not classified. | |
| Health hazards | Sensitization, skin | Category 1 |
| | Carcinogenicity | Category 2 |
| | Specific target organ toxicity, single exposure (oral) | Category 1 (central nervous system, kidney) |
| | Specific target organ toxicity, repeated exposure (oral) | Category 2 (kidney) |
| Environmental hazards | Not classified. | |
| Label elements | | |



| | |
|--------------------------------|---|
| Signal word | Danger |
| Hazard statement | May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to organs (central nervous system, kidney) by ingestion. May cause damage to organs (kidney) through prolonged or repeated exposure by ingestion. |
| Precautionary statement | |
| Prevention | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. |
| Response | IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF exposed or concerned: Call a POISON CENTER/doctor. |
| Storage | Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Other hazards | None known. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-----------------|--------------------------|------------|-----------|
| water | | 7732-18-5 | 30 - 60 |
| ethylene glycol | | 107-21-1 | 1 - 5 |
| triethanolamine | | 102-71-6 | 0.5 - 1.5 |
| diethanolamine | | 111-42-2 | 0.1 - 1 |

The exact percentage (concentration) of composition has been withheld as a trade secret.
All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

| | |
|---|--|
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. |
| Eye contact | Rinse with water. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. |
| Most important symptoms/effects, acute and delayed | Narcosis. Behavioral changes. Decrease in motor functions. May cause an allergic skin reaction. Dermatitis. Rash. Edema. Prolonged exposure may cause chronic effects. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| General information | IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions | Use water spray to cool unopened containers. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | This product is miscible in water. Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |

7. Handling and storage

| | |
|---|---|
| Precautions for safe handling | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|--------------------------------|---------|-----------------------|-------------------------------|
| diethanolamine (CAS 111-42-2) | TWA | 1 mg/m ³ | Inhalable fraction and vapor. |
| ethylene glycol (CAS 107-21-1) | Ceiling | 100 mg/m ³ | Aerosol. |
| triethanolamine (CAS 102-71-6) | TWA | 5 mg/m ³ | |

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Type | Value | Form |
|--------------------------------|---------|-----------------------|------|
| diethanolamine (CAS 111-42-2) | TWA | 2 mg/m ³ | |
| ethylene glycol (CAS 107-21-1) | Ceiling | 100 mg/m ³ | |
| triethanolamine (CAS 102-71-6) | TWA | 5 mg/m ³ | |

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components | Type | Value | Form |
|--------------------------------|---------|-----------------------|--------------|
| diethanolamine (CAS 111-42-2) | TWA | 2 mg/m ³ | |
| ethylene glycol (CAS 107-21-1) | Ceiling | 100 mg/m ³ | Aerosol. |
| | STEL | 50 ppm | Vapor. |
| | TWA | 20 mg/m ³ | Particulate. |
| | TWA | 10 mg/m ³ | Particulate. |
| triethanolamine (CAS 102-71-6) | TWA | 5 mg/m ³ | |

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components | Type | Value | Form |
|--------------------------------|---------|-----------------------|-------------------------------|
| diethanolamine (CAS 111-42-2) | TWA | 1 mg/m ³ | Inhalable fraction and vapor. |
| ethylene glycol (CAS 107-21-1) | Ceiling | 100 mg/m ³ | Aerosol. |
| triethanolamine (CAS 102-71-6) | TWA | 5 mg/m ³ | |

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Components | Type | Value | Form |
|--------------------------------|---------|-----------------------|-------------------------------|
| diethanolamine (CAS 111-42-2) | TWA | 1 mg/m ³ | Inhalable fraction and vapor. |
| ethylene glycol (CAS 107-21-1) | Ceiling | 100 mg/m ³ | Aerosol. |
| triethanolamine (CAS 102-71-6) | TWA | 3.1 mg/m ³ | |
| | | 0.5 ppm | |

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

| Components | Type | Value | Form |
|--------------------------------|---------|-----------------------|-----------------|
| diethanolamine (CAS 111-42-2) | TWA | 13 mg/m ³ | |
| | | 3 ppm | |
| ethylene glycol (CAS 107-21-1) | Ceiling | 127 mg/m ³ | Vapor and mist. |
| | | 50 ppm | Vapor and mist. |
| triethanolamine (CAS 102-71-6) | TWA | 5 mg/m ³ | |

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

| Components | Type | Value | Form |
|--------------------------------|---------|-----------|----------|
| ethylene glycol (CAS 107-21-1) | Ceiling | 100 mg/m3 | Aerosol. |

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines**Canada - Alberta OELs: Skin designation**

diethanolamine (CAS 111-42-2) Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

diethanolamine (CAS 111-42-2) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

diethanolamine (CAS 111-42-2) Can be absorbed through the skin.

Canada - Ontario OELs: Skin designation

diethanolamine (CAS 111-42-2) Can be absorbed through the skin.

Canada - Quebec OELs: Skin designation

diethanolamine (CAS 111-42-2) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

diethanolamine (CAS 111-42-2) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

diethanolamine (CAS 111-42-2) Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves such as: Neoprene. Nitrile.

Other Wear appropriate chemical resistant clothing.

Respiratory protection

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid, Liquid.

Form Semi-solid paste.

Color Red.

Odor Acrylic.

Odor threshold Not available.

pH Not available.

Melting point/freezing point 9 °F (-12.8 °C) estimated

Initial boiling point and boiling range 212 °F (100 °C) estimated

Flash point None (Tag Closed Cup)

Evaporation rate Slow.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

| | |
|--------------------------------|------------------|
| Flammability limit - lower (%) | 2.6 % estimated |
| Flammability limit - upper (%) | 15.3 % estimated |

Vapor pressure 15.6 hPa estimated

Vapor density Not available.

Relative density 1.03

Solubility(ies)

Solubility (water) Dispersible.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature 748.4 °F (398 °C) estimated

Decomposition temperature Not available.

Viscosity Not available.

Other information

Percent volatile 39.1 % estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Protect from freezing.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products Acrylic monomers.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs by inhalation. May cause damage to organs through prolonged or repeated exposure by inhalation.

Skin contact May cause an allergic skin reaction.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Causes damage to organs by ingestion. May cause damage to organs through prolonged or repeated exposure by ingestion.

Symptoms related to the physical, chemical and toxicological characteristics Narcosis. Behavioral changes. Decrease in motor functions. May cause an allergic skin reaction. Dermatitis. Rash. Edema.

Information on toxicological effects

Acute toxicity Not known.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

diethanolamine (CAS 111-42-2)

Acute

Dermal

| | | |
|------|--------|------------|
| LD50 | Rabbit | 8180 mg/kg |
|------|--------|------------|

Oral

| | | |
|------|-----|-----------|
| LD50 | Rat | 680 mg/kg |
|------|-----|-----------|

| Components | Species | Test Results |
|--------------------------------|---------|--------------|
| ethylene glycol (CAS 107-21-1) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rat | > 5000 mg/kg |
| Oral | | |
| LD50 | Rat | > 5000 mg/kg |
| triethanolamine (CAS 102-71-6) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 2000 mg/kg |
| Oral | | |
| LD50 | Rat | 4190 mg/kg |

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

ethylene glycol (CAS 107-21-1) Irritant
triethanolamine (CAS 102-71-6) Irritant

Canada - Quebec OELs: Sensitizer

triethanolamine (CAS 102-71-6) Sensitizer.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

ACGIH Carcinogens

diethanolamine (CAS 111-42-2) A3 Confirmed animal carcinogen with unknown relevance to humans.
ethylene glycol (CAS 107-21-1) A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

diethanolamine (CAS 111-42-2) Confirmed animal carcinogen with unknown relevance to humans.
ethylene glycol (CAS 107-21-1) Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

C.I. Pigment Red 3 (CAS 2425-85-6) 3 Not classifiable as to carcinogenicity to humans.
diethanolamine (CAS 111-42-2) 2B Possibly carcinogenic to humans.
triethanolamine (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Causes damage to organs (central nervous system, kidney) by ingestion.

Specific target organ toxicity - repeated exposure May cause damage to organs (kidney) through prolonged or repeated exposure by ingestion.

Aspiration hazard Not an aspiration hazard.

Chronic effects May cause damage to organs through prolonged or repeated exposure. May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components | Species | Test Results |
|--------------------------------|---------|---|
| diethanolamine (CAS 111-42-2) | | |
| Aquatic | | |
| Crustacea | EC50 | Water flea (Ceriodaphnia dubia) 61.8 - 86.04 mg/l, 48 hours |
| Fish | LC50 | Fathead minnow (Pimephales promelas) 100 mg/l, 96 hours |
| ethylene glycol (CAS 107-21-1) | | |
| Aquatic | | |
| <i>Acute</i> | | |
| Crustacea | EC50 | Water flea (Daphnia magna) 41000 mg/l, 48 hours |
| Fish | LC50 | Rainbow trout, donaldson trout (Oncorhynchus mykiss) 22810 mg/l, 96 hours |
| triethanolamine (CAS 102-71-6) | | |
| Aquatic | | |
| <i>Acute</i> | | |
| Fish | LC50 | Bluegill (Lepomis macrochirus) 450 - 1000 mg/l, 96 hours |

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

| | |
|-----------------|-------|
| diethanolamine | -1.43 |
| ethylene glycol | -1.36 |
| triethanolamine | -1 |

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal of waste from residues / unused products Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Not regulated.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | No |
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | Yes |
| China | Inventory of Existing Chemical Substances in China (IECSC) | No |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | No |
| New Zealand | New Zealand Inventory | No |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 05-31-2017

Version # 01

Further information CRC # 562A-C

Disclaimer

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Canada Co..